

# Planning Committee

Minutes of the meeting held on Tuesday 23 June 2015 in the Town Hall, Royal Leamington Spa at 6.00 pm.

**Present:** Councillor Cooke (Chairman); Councillors Ashford, Boad, Mrs Bunker, Cain, Mrs Falp, Mrs Hill, Mrs Knight, Morris, Stevens and Weed.

## 18. **Substitutes**

There were no substitutes.

## 19. **Declarations of Interest**

Minute Number 23 – W15/0634 – Sydenham Industrial Estate, Royal Leamington Spa

Councillor Ashford declared an interest because he lived in the vicinity of the application site.

Councillor Weed declared an interest because the application site was in her Ward.

## 20. **Site Visits**

To assist with decision making, Councillors Cain, Cooke, Mrs Hill, Mrs Knight, Morris, Stevens and Weed had visited the following application sites on Saturday 20 June 2015:

W15/0634 – Sydenham Industrial Estate, Royal Leamington Spa  
W15/0674 – Hatton Country World, Hatton, Warwick  
W15/0523 – 8 Percy Road, Kenilworth

## 21. **Minutes**

The minutes of the meeting held on 27 May 2015 were agreed and signed by the Chairman as a correct record.

## 22. **W15/0523 – 8 Percy Road, Kenilworth**

The Committee considered an application from Mr Lee for the proposed erection of a two storey side, a two storey rear extension and a single storey rear extension.

The application was presented to Committee because an objection had been received from Kenilworth Town Council and Councillor Davies had also called in the application.

The officer considered the following policies to be relevant:

National Planning Policy Framework

The Current Local Plan

## PLANNING COMMITTEE MINUTES (Continued)

DP1 - Layout and Design (Warwick District Local Plan 1996 - 2011)  
DP2 - Amenity (Warwick District Local Plan 1996 - 2011)  
DP3 - Natural and Historic Environment and Landscape (Warwick District Local Plan 1996 - 2011)  
DP12 - Energy Efficiency (Warwick District Local Plan 1996 - 2011)  
DP13 - Renewable Energy Developments (Warwick District Local Plan 1996 - 2011)  
DP8 - Parking (Warwick District Local Plan 1996 - 2011)

### The Emerging Local Plan

BE1 - Layout and Design (Warwick District Local Plan 2011-2029 - Publication Draft April 2014)  
BE3 - Amenity (Warwick District Local Plan 2011-2029 - Publication Draft April 2014)  
CC2 - Planning for Renewable Energy and Low Carbon Generation (Warwick District Local Plan 2011-2029 - Publication Draft April 2014)  
NE2 - Protecting Designated Biodiversity and Geodiversity Assets (Warwick District Local Plan 2011-2029 - Publication Draft April 2014)  
TR4 - Parking (Warwick District Local Plan 2011-2029 - Publication Draft April 2014)

### Guidance Documents

The 45 Degree Guideline (Supplementary Planning Guidance)  
Distance Separation (Supplementary Planning Guidance)  
Vehicle Parking Standards (Supplementary Planning Document)  
Residential Design Guide (Supplementary Planning Guidance - April 2008)

The case officer was of the opinion that the proposed two storey side extension, two storey rear extension and single storey front extension were of acceptable design and scale which would not impact adversely on the character or appearance of the street scene and would not substantially impact on the amenity of neighbouring properties which would support a reason for refusal.

The following people addressed the Committee:

Councillor Davies addressed Members on behalf of Kenilworth Town Council, in objection to the application; and Mr Rigby, a neighbour, also objecting.

Following consideration of the report, presentation and the representations made at the meeting, the Committee

**Resolved** that application W15/0523 be **granted** subject to the following conditions:

- (1) the development hereby permitted shall begin not later than three years from the date of this permission. **Reason:** To comply with Section 91 of the Town and Country Planning Act 1990 (as amended);

## PLANNING COMMITTEE MINUTES (Continued)

- (2) the development hereby permitted shall be carried out strictly in accordance with the details shown on the site location plan and approved drawing 003A, and specification contained therein, submitted on 11th May 2015. **Reason:** For the avoidance of doubt and to secure a satisfactory form of development in accordance with Policies DP1 and DP2 of the Warwick District Local Plan 1996-2011;
- 3 the development hereby permitted shall not be commenced unless and until a scheme showing how either a). At least 10% of the predicted energy requirement of the development will be produced on or near to the site from renewable energy resources, or b). a scheme showing how at least 10% of the energy demand of the development and its CO<sup>2</sup> emissions would be reduced through the initial construction methods and materials has been submitted to and approved in writing by the Local Planning Authority. The development shall not be first occupied until all the works within the approved scheme have been completed and thereafter the works shall be retained at all times and shall be maintained strictly in accordance with manufacturer's specifications. **Reason:** To ensure that adequate provision is made for the generation of energy from renewable energy resources or to achieve carbon savings in accordance with the provisions of Policy DP13 in the Warwick District Local Plan 1996-2011;
- (4) all external facing materials for the development hereby permitted shall be of the same type, texture and colour as those of the existing building. **Reason:** To ensure that the visual amenities of the area are protected, and to satisfy the requirements of Policy DP1 of the Warwick District Local Plan 1996-2011; and
- (5) prior to the occupation of the development hereby permitted, the first floor side facing window in the South Western elevation shall be permanently glazed with obscured glass to a degree sufficient to conceal or hide the features of all physical objects from view and shall be non-opening unless the parts of the window that can be opened are more than 1.7 metres above the floor of the room in which the window is installed. The obscured glazed window(s) shall be retained and maintained in

## **PLANNING COMMITTEE MINUTES (Continued)**

that condition at all times. **Reason:** To protect the privacy of users and occupiers of nearby properties and to satisfy the requirements of Policy DP2 of the Warwick District Local Plan 1996-2011.

### **23. W15/0634 – Sydenham Industrial Estate, Royal Leamington Spa**

The Committee considered an outline planning application from Orbit Group Ltd and CHS Developments Ltd. This was for the erection of up to 66 affordable homes and up to 36 low cost dwellings (Use Class C3) to include siting and vehicular access from St Mary's Road with all other matters reserved for subsequent approval including landscaping; car parking and all other ancillary and enabling works.

The application was presented to Committee because of the number of objections received.

The officer considered the following policies to be relevant:

National Planning Policy Framework

#### The Current Local Plan

DP1 - Layout and Design (Warwick District Local Plan 1996 - 2011)

DP2 - Amenity (Warwick District Local Plan 1996 - 2011)

DP3 - Natural and Historic Environment and Landscape (Warwick District Local Plan 1996 - 2011)

Residential Design Guide (Supplementary Planning Guidance - April 2008)

DP5 - Density (Warwick District Local Plan 1996 - 2011)

DP6 - Access (Warwick District Local Plan 1996 - 2011)

DP7 - Traffic Generation (Warwick District Local Plan 1996 - 2011)

DP8 - Parking (Warwick District Local Plan 1996 - 2011)

DP9 - Pollution Control (Warwick District Local Plan 1996 - 2011)

DP11 - Drainage (Warwick District Local Plan 1996 - 2011)

DP13 - Renewable Energy Developments (Warwick District Local Plan 1996 - 2011)

DP14 - Crime Prevention (Warwick District Local Plan 1996 - 2011)

SC1 - Securing a Greater Choice of Housing (Warwick District Local Plan 1996 - 2011)

SC2 - Protecting Employment Land and Buildings (Warwick District Local Plan 1996 - 2011)

SC11 - Affordable Housing (Warwick District Local Plan 1996 - 2011)

SC13 - Open Space and Recreation Improvements (Warwick District Local Plan 1996 - 2011)

SC14 - Community Facilities (Warwick District Local Plan 1996 - 2011)

UAP1 - Directing New Housing (Warwick District Local Plan 1996 - 2011)

DAP3 - Protecting Nature Conservation and Geology (Warwick District Local Plan 1996 - 2011)

DAP8 - Protection of Conservation Areas (Warwick District Local Plan 1996 - 2011)

#### The Emerging Local Plan

## **PLANNING COMMITTEE MINUTES (Continued)**

- DS2 - Providing the Homes the District Needs (Warwick District Local Plan 2011-2029 - Publication Draft April 2014)
- DS3 - Supporting Sustainable Communities (Warwick District Local Plan 2011-2029 - Publication Draft April 2014)
- DS5 - Presumption in Favour of Sustainable Development (Warwick District Local Plan 2011-2029 - Publication Draft April 2014)
- DS6 - Level of Housing Growth (Warwick District Local Plan 2011-2029 - Publication Draft April 2014)
- DS7 - Meeting the Housing Requirement (Warwick District Local Plan 2011-2029 - Publication Draft April 2014)
- DS8 - Employment Land (Warwick District Local Plan 2011-2029 - Publication Draft April 2014)
- DS10 - Broad Location of Allocated Sites for Housing (Warwick District Local Plan 2011-2029 - Publication Draft April 2014)
- DS11 - Allocated Housing Sites (Warwick District Local Plan 2011-2029 - Publication Draft April 2014)
- DS17 - Supporting Canalside Regeneration and Enhancement (Warwick District Local Plan 2011-2029 - Publication Draft April 2014)
- EC3 - Protecting Employment Land and Buildings (Warwick District Local Plan 2011-2029 - Publication Draft April 2014)
- H0 - Housing (Warwick District Local Plan 2011-2029 Publication Draft April 2014)
- H1 - Directing New Housing (Warwick District Local Plan 2011-2029 Publication Draft April 2014)
- H2 - Affordable Housing (Warwick District Local Plan 2011-2029 Publication Draft April 2014)
- H4 - Securing a Mix of Housing (Warwick District Local Plan 2011-2029 Publication Draft April 2014)
- SC0 - Sustainable Communities (Warwick District Local Plan 2011-2029 - Publication Draft April 2014)
- BE1 - Layout and Design (Warwick District Local Plan 2011-2029 - Publication Draft April 2014)
- BE3 - Amenity (Warwick District Local Plan 2011-2029 - Publication Draft April 2014)
- TR1 - Access and Choice (Warwick District Local Plan 2011-2029 - Publication Draft April 2014)
- TR2 - Traffic Generation (Warwick District Local Plan 2011-2029 - Publication Draft April 2014)
- TR4 - Parking (Warwick District Local Plan 2011-2029 - Publication Draft April 2014)
- HS1 - Healthy, Safe and Inclusive Communities (Warwick District Local Plan 2011-2029 - Publication Draft April 2014)
- HS4 - Improvements to Open Space, Sport and Recreation Facilities (Warwick District Local Plan 2011-2029 - Publication Draft April 2014)
- HS6 - Creating Healthy Communities (Warwick District Local Plan 2011-2029 - Publication Draft April 2014)
- HS7 - Crime Prevention (Warwick District Local Plan 2011-2029 - Publication Draft April 2014)
- CC1 - Planning for Climate Change Adaptation (Warwick District Local Plan 2011-2029 - Publication Draft April 2014)
- CC3 - Buildings Standards Requirements (Warwick District Local Plan 2011-2029 - Publication Draft April 2014)
- FW2 - Sustainable Urban Drainage (Warwick District Local Plan 2011-2029 - Publication Draft April 2014)

## **PLANNING COMMITTEE MINUTES (Continued)**

FW3 - Water Conservation (Warwick District Local Plan 2011-2029 - Publication Draft April 2014)  
FW4 - Water Supply (Warwick District Local Plan 2011-2029 - Publication Draft April 2014)  
HE2 - Protection of Conservation Areas (Warwick District Local Plan 2011-2029 - Publication Draft April 2014)  
NE1 - Green Infrastructure (Warwick District Local Plan 2011-2029 - Publication Draft April 2014)  
NE2 - Protecting Designated Biodiversity and Geodiversity Assets (Warwick District Local Plan 2011-2029 - Publication Draft April 2014)  
NE3 - Biodiversity (Warwick District Local Plan 2011-2029 - Publication Draft April 2014)  
NE5 - Protection of Natural Resources (Warwick District Local Plan 2011-2029 - Publication Draft April 2014)  
NE7 - Use of Waterways (Warwick District Local Plan 2011-2029 - Publication Draft April 2014)  
DM1 - Infrastructure Contributions (Warwick District Local Plan 2011-2029 - Publication Draft April 2014)  
DM2 - Assessing Viability (Warwick District Local Plan 2011-2029 - Publication Draft April 2014)

### Guidance Documents

Residential Design Guide (Supplementary Planning Guidance - April 2008)  
Distance Separation (Supplementary Planning Guidance)  
The 45 Degree Guideline (Supplementary Planning Guidance)  
Sustainable Buildings (Supplementary Planning Document - December 2008)  
Vehicle Parking Standards (Supplementary Planning Document)  
Open Space (Supplementary Planning Document - June 2009)  
Affordable Housing (Supplementary Planning Document - January 2008)  
Development Management Policy Guidance: Achieving a Mix of Market Housing on new Development Sites (Agreed by Executive - 19th June 2013)  
Garden Towns, Villages and Suburbs - A prospectus for Warwick District Council (Consultation document - May 2012)

The case officer was of the opinion that the redevelopment of this part of the industrial estate for residential purposes was acceptable in principle, in accordance with the 2013 Employment Land Review and the Draft Local Plan. The proposals would have an acceptable impact on the living conditions of neighbouring dwellings and on the character and appearance of the area and the setting of the nearby Conservation Area.

The proposals would also provide a satisfactory living environment for future occupants and would not unduly impact on the operation of existing businesses adjacent to the site. The benefits of the scheme also outweighed any concerns about the under-provision of public open space and it had been demonstrated that the provision of any form of Section 106 contributions would render the scheme unviable. The proposals were considered to be acceptable in terms of car parking, highway safety, ecological impact and in terms of the impact on trees. Finally, the proposals would generate significant benefits in terms of providing a significant amount of affordable housing and improving the environment alongside the canal. Therefore, it was recommended that planning permission be granted.

## **PLANNING COMMITTEE MINUTES (Continued)**

An addendum provided at the meeting advised that a neighbouring business had submitted a further objection along with a report from their acoustic consultant. The report criticised the noise assessment that had been submitted with the application and concluded that noise from the business would have a significant adverse impact on the proposed dwellings.

Officers also requested a minor amendment to condition 28 relating to the Green Travel Plan.

In response to the acoustic report referred to in the addendum, the applicant, Barton Willmore, had submitted a letter which the case officer read out at the meeting. The response criticised the late submission of the acoustic report and reminded Members that the revised scheme had removed the dwellings from around the industrial units.

The following people addressed the Committee:

Ms Wilkinson, objecting; and Mr Holt and Ms Ventham in support of the application.

Members empathised with the concerns being raised by speakers relating to the potential for noise nuisance and requested that condition 13 be strengthened to include particular reference to the inclusion of details of a suitable acoustic fence.

Following consideration of the report, presentation, information contained in the addendum and the representations made at the meeting, the Committee

**Resolved** that application W15/0634 be **granted** subject to the following conditions:

- (1) this permission is granted under the provisions of Article 4(1) of the Town and Country Planning (Development Management Procedure) (England) Order 2010 as amended, on an outline application and the further approval of the District Planning Authority shall be required to the undermentioned matters hereby reserved before any development is commenced:-
  - (a) scale
  - (b) appearance
  - (c) landscaping

**Reason:** To comply with Section 92 of the Town and Country Planning Act 1990 as amended;

- (2) application for approval of the reserved matters shall be made to the local planning authority not later than three years from the

## PLANNING COMMITTEE MINUTES (Continued)

- date of this permission. **Reason:** To comply with Section 92 of the Town and Country Planning Act 1990 (as amended);
- (3) the development to which this permission relates shall begin within three years of the date of this permission or within two years of the final approval of the reserved matters, whichever is the later. **Reason:** To comply with Section 92 of the Town and Country Planning Act 1990 (as amended);
- (4) the development hereby permitted shall be carried out strictly in accordance with the details shown on the application form, site location plan and approved drawing 2894-100D and specification contained therein, submitted on 27 April 2015. **Reason:** For the avoidance of doubt and to secure a satisfactory form of development in accordance with Policies DP1 and DP2 of the Warwick District Local Plan 1996-2011;
- (5) no development shall commence until details of surface and foul water drainage have been submitted to and approved in writing by the local planning authority. The development shall be carried out in strict accordance with such approved details. **Reason:** To ensure that adequate drainage facilities are available and to minimise flood risk, in accordance with the National Planning Policy Framework and Policy DP11 of the Warwick District Local Plan 1996-2011;
- (6) no development or other operations (including demolition, site clearance or other preparatory works) shall be commenced unless and until adequate steps, which shall have been previously approved in writing by the local planning authority, have been taken to safeguard against damage or injury during construction works (in accordance with Clause 7 of British Standard BS5837 – 2012 Trees in Relation to Design, Demolition & Construction) to all tree(s) on the site, or those tree(s) whose root structure may extend within the site. In particular no excavations, site works, trenches or channels shall be cut or pipes or services laid, no fires shall be lit within 10 metres of the nearest point of the canopy of any retained tree(s); no equipment, machinery or structure shall be attached to or supported by any retained tree(s); no mixing of cement



## PLANNING COMMITTEE MINUTES (Continued)

or use of other contaminating materials or substances shall take place within, or close enough to, a root protection area that seepage or displacement could cause them to enter a root protection area, or any other works be carried out in such a way as to cause damage or injury to the tree(s) by interference with their root structure and no soil or waste shall be deposited on the land in such a position as to be likely to cause damage or injury to the tree(s). **Reason:** To protect those trees which are of significant amenity value to the area and which would provide an enhanced standard of appearance to the development in accordance with Policy DP3 of the Warwick District Local Plan 1996-2011;

- (7) the development shall not begin until a scheme detailing the affordable housing provisions has been submitted to and approved in writing by the local planning authority. The affordable housing shall be provided in accordance with the approved scheme and shall meet the definition of affordable housing in Annex 2 of the National Planning Policy Framework or any future guidance that replaces it. The scheme shall include:

- the tenure split;
- the arrangements for the management of the affordable housing;
- the arrangements to ensure that such provision is affordable for both first and subsequent occupiers of the affordable housing; and
- the occupancy criteria to be used for determining the identity of occupiers of the affordable housing and the means by which such occupancy criteria shall be enforced.

**Reason:** To meet the requirements of Policy SC11 of the Warwick District Local Plan 1996-2011;

- (8) the development hereby permitted shall not be commenced until a scheme for the provision of adequate water supplies and fire hydrants, necessary for firefighting purposes at the site, has been submitted to and approved in writing by the District Planning Authority. The development shall not then be occupied until the scheme has been implemented to the satisfaction of the District Planning Authority.

## **PLANNING COMMITTEE MINUTES (Continued)**

**Reason:** In the interests of fire safety;

- (9) no development shall commence until a detailed lighting scheme for the site has been submitted to and agreed in writing by the local planning authority. In discharging this condition the local planning authority expects lighting to be restricted around the boundary edges, particularly along hedgerows, where protected species are likely to be found, and to be kept to a minimum at night across the whole site in order to minimise impact on emerging and foraging bats and other nocturnal wildlife. This could be achieved in the following ways:

- (a) low energy LED lighting should be used in preference to high pressure sodium or mercury lamps;
- (b) the brightness of lights should be as low as legally possible;
- (c) lighting should be timed to provide some dark periods; and
- (d) connections to areas important for foraging should contain unlit stretches.

No lighting shall be installed other than in strict accordance with the scheme approved under this condition. The lighting shall be maintained and operated in strict accordance with the approved scheme at all times thereafter.

**Reason:** To ensure that any lighting is designed so as not to detrimentally affect the amenities of the occupiers of nearby properties and to ensure that appropriate measures are taken in relation to protected species in accordance with Policies DP2, DP3, DP9 and DAP3 of the Warwick District Local Plan 1996-2011;

- (10) prior to the commencement of development approved by this planning permission (or such other date or stage in development as may be agreed in writing with the District Planning Authority), the following components of a scheme to deal with the risks associated with contamination of the site shall each be submitted to and approved, in writing, by the Local Planning Authority:

- 1) A preliminary risk assessment which has identified:

## PLANNING COMMITTEE MINUTES (Continued)

- all previous uses
- potential contaminants associated with those uses
- a conceptual model of the site indicating sources, pathways and receptors
- potentially unacceptable risks arising from contamination at the site.

2) A site investigation scheme, based on (1) to provide information for a detailed assessment of the risk to all receptors that may be affected, including those off site.

3) The site investigation results and the detailed risk assessment (2) and, based on these, an options appraisal and remediation strategy giving full details of the remediation measures required and how they are to be undertaken.

4) A verification plan providing details of the data that will be collected in order to demonstrate that the works set out in (3) are complete and identifying any requirements for longer-term monitoring of pollutant linkages, maintenance and arrangements for contingency action.

Any changes to these components require the express consent of the District Planning Authority. The scheme shall be implemented strictly as approved.

**Reason:** To ensure the protection of controlled waters and to prevent pollution in accordance with Policy DP9 in the Warwick District Local Plan 1996-2011;

- (11) no development shall commence until a Low Emission Strategy has been submitted to and approved in writing by the local planning authority. The Low Emission Strategy shall thereafter be implemented in strict accordance with the approved details. **Reason:** To ensure mitigation against air quality impacts associated with the proposed development, in accordance with Policy DP9 of the Warwick District Local Plan and the aims and objectives of national guidance within the NPPF 2012;
- (12) the development hereby permitted shall be undertaken in the presence of a qualified bat worker appointed by the applicant to supervise all destructive works to the roof of the office

## PLANNING COMMITTEE MINUTES (Continued)

building to the rear of Building 7 (as annotated in the Ecological Surveys report produced by Crestwood Environmental Ltd and dated 18 December 2013). All roofing material on this building is to be removed carefully by hand. Appropriate precautions must be taken in case bats are found, such as the erection of at least one bat box on a suitable tree or building. Should evidence of bats be found during this operation, then work must cease immediately while Natural England and WCC Ecological Services are consulted for further advice. Any subsequent recommendations or remedial works shall be implemented within the timescales agreed between the bat worker and the Warwickshire County Council Ecology / Natural England. Notwithstanding any requirement for remedial work or otherwise, the qualified bat worker's report shall be submitted to the local planning authority within 1 month following completion of the supervised works to summarise the findings. **Reason:** To safeguard the presence and population of a protected species in line with UK and European Law, the National Planning Policy Framework and Policy DAP3 of the Warwick District Local Plan 1996-2011;

- (13) no development shall commence until a scheme detailing arrangements to protect residents of the development from excessive traffic and industrial noise entering habitable rooms and the provision of quiet garden areas shielded from road noise and to include details of a suitable acoustic fence, has been submitted to and approved in writing by the local planning authority. The scheme shall be implemented in accordance with the approved details and shall be retained at all times thereafter. **Reason:** To protect residents of the development from the adverse effects of traffic noise from outside the development in accordance with Policies DP2 & DP9 of the Warwick District Local Plan 1996-2011;
- (14) no development shall take place until details of the design; appearance and exact location of the proposed bollards/barriers to prevent vehicles entering the canal have first been submitted to and agreed in writing by the local planning authority. This shall include details of the timing of installation of the bollards/barriers. The bollards/barriers shall be installed in strict accordance with the approved

## PLANNING COMMITTEE MINUTES (Continued)

details and timescales and shall be retained at all times thereafter. **Reason:** To ensure the provision of suitably designed barriers in the interests of safety and to protect users on the canal, the integrity of the canal infrastructure and to prevent a detrimental impact on the appearance of the canal, in accordance with Policy DP1 of Warwick District Local Plan;

- (15) the development shall not begin until a scheme detailing the laying out and future management of the public open space within the site has been submitted to and approved in writing by the local planning authority. The public open space shall be laid out and maintained in accordance with the approved scheme. The scheme shall include:

- (a) arrangements for the future management and maintenance of the public open space; and
- (b) details of how public access will be provided to the public open space in perpetuity.

**Reason:** To ensure the necessary infrastructure and facilities are provided in accordance with Policy SC13 of the Warwick District Plan 1996 – 2011;

- (16) the development (including any works of demolition) shall proceed only in strict accordance with a construction method statement which shall have been submitted to and approved in writing by the local planning authority. The approved statement shall be strictly adhered to throughout the construction period and shall provide for: the anticipated movements of vehicles; the parking of vehicles of site operatives and visitors; the loading and unloading of plant and materials; the storage of plant and materials used in constructing the development; wheel washing facilities and other measures to ensure that any vehicle, plant or equipment leaving the application site does not carry mud or deposit other materials onto the public highway; measures to control the emission of dust and dirt during construction; measures to limit noise and disturbance; a construction phasing plan; and a HGV routing plan. **Reason:** In the interests of highway safety and the amenities of the occupiers of nearby properties, the free flow of traffic and the visual amenities of the locality in accordance with Policies DP2, DP6, DP8 & DP9

## PLANNING COMMITTEE MINUTES (Continued)

of the Warwick District Local Plan 1996-2011;

- (17) no infiltration of surface water drainage into the ground is permitted other than with the express written consent of the District Planning Authority, which may be given for those parts of the site where it has been demonstrated that there is no resultant unacceptable risk to controlled waters. **Reason:** To ensure preferential pathways are not created to mobilise contaminants into the underlying groundwater, in accordance with the Policy DP9 in the Warwick District Local Plan 1996-2011;
- (18) piling or any other foundation designs using penetrative methods shall not be permitted other than with the express written consent of the Local Planning Authority, which may be given for those parts of the site where it has been demonstrated that there is no resultant unacceptable risk to groundwater. The development shall be carried out in accordance with the approved details. **Reason:** To protect Controlled Waters and linked receptors, in accordance with Policy DP9 of the Warwick District Local Plan;
- (19) the development shall be carried out in accordance with the Flood Risk Assessment ref. C6247-01 Rev C by Couch Consulting Engineers that was submitted on 5 June 2015. **Reason:** To minimise the risk of flooding on site and elsewhere, in accordance with the National Planning Policy Framework;
- (20) the development hereby permitted shall only be undertaken in strict accordance with details of both hard and soft landscaping works which shall have been submitted to and approved in writing by the local planning authority. Details of hard landscaping works shall include boundary treatment, including full details of the proposed boundary walls, railings and gates to be erected, specifying the colour of the railings and gates; footpaths; and hard surfacing. The hard landscaping works shall be completed in full accordance with the approved details within three months of the first occupation of the development hereby permitted; and all planting shall be carried out in accordance with the approved details in the first planting and seeding seasons following the first occupation. Any tree(s) or shrub(s) which

## PLANNING COMMITTEE MINUTES (Continued)

within a period of five years from the completion of the development dies, is removed or becomes in the opinion of the local planning authority seriously damaged, defective or diseased shall be replaced in the next planting season with another of similar size and species, unless the local planning authority gives written consent to any variation. All hedging, tree(s) and shrub(s) shall be planted in accordance with British Standard BS4043 – Transplanting Root-balled Trees and BS4428 – Code of Practice for General Landscape Operations. **Reason:** To ensure a satisfactory standard of appearance of the development in the interests of the visual amenities of the area in accordance with Policies DP1, DP2 and DP3 of the Warwick District Local Plan 1996-2011;

- (21) the existing tree(s) and shrub(s) indicated on the approved plans to be retained shall not be cut down, grubbed out, topped, lopped or uprooted without the written consent of the local planning authority. Any tree(s) or shrub(s) removed without such consent or dying, or being severely damaged or diseased or becomes, in the opinion of the local planning authority, seriously damaged or defective, within five years from the substantial completion of development shall be replaced, as soon as practicable with tree(s) and shrub(s) of such size and species details of which must be submitted to and approved by the local planning authority. All tree(s) and shrub(s) shall be planted in accordance with British Standard BS4043 – Transplanting Root-balled Trees and BS4428 – Code of Practice for General Landscape Operations (excluding hard surfaces). **Reason:** To protect those trees and shrubs which are of significant amenity value and which ensure a satisfactory standard of appearance of the development in the interests of the visual amenities of the area in accordance with Policies DP1 and DP3 of the Warwick District Local Plan 1996-2011;
- (22) the development shall be carried out only in full accordance with sample details of all facing and roofing materials which shall have been submitted to and approved in writing by the local planning authority. **Reason:** To ensure that the proposed development has a satisfactory external appearance in the interests of the visual amenities of the locality

## PLANNING COMMITTEE MINUTES (Continued)

in accordance with Policy DP1 of the Warwick District Local Plan 1996-2011;

- (23) the development hereby permitted shall be built to Code for Sustainable Homes Level 3.  
**Reason:** Since the application has been approved without 10% renewable energy production on the basis that the development is built to Code for Sustainable Homes Level 3, in accordance with the requirements of Local Plan Policy DP13;

- (24) the dwellings hereby permitted shall be designed and constructed to ensure that internal noise levels do not exceed the following levels between 0700 hours and 2300 hours:

- 35 dB LAeq,16hour within living rooms;
- 40 dB LAeq,16hour within dining rooms; and
- 35 dB LAeq,16hour within bedrooms.

The dwellings hereby permitted shall be designed and constructed to ensure that internal noise levels do not exceed the following levels between 2300 hours and 0700 hours:

- 30dB LAeq,8hour within bedrooms, with the maximum instantaneous noise level not exceeding 45dB LAmax,fast (Night-time LAmax as prescribed by WHO Guidelines for Community Noise, 1999).

The external noise level in all private gardens of the dwellings hereby permitted shall not exceed 50dB LAeq,t between 0700 hours and 2300 hours.

**Reason:** To provide a satisfactory living environment for future occupants of the proposed dwellings, in accordance with Policies DP2 & DP9 of the Warwick District Local Plan 1996-2011.;

- (25) best practicable means shall be employed at all times to control noise and dust on the site. Work which is likely to give rise to noise nuisance shall not take place before 0730 hours or after 1700 hours on Mondays to Fridays or before 0730 hours or after 1300 hours on Saturdays. No construction work shall take place on Sundays or Bank Holidays. Delivery vehicles shall not be permitted to



## **PLANNING COMMITTEE MINUTES (Continued)**

arrive on site before 0800 hours or after 1630 hours on Mondays to Fridays or before 0800 hours or after 1300 hours on Saturdays. No deliveries shall be permitted to arrive on site on Sundays or Bank Holidays. **Reason:** To protect the living conditions of nearby residents, in accordance with Policies DP2 and DP9 of the Warwick District Local Plan;

- (26) none of the dwellings hereby permitted shall be occupied until the car parking and manoeuvring areas indicated on the approved drawings for that dwelling have been provided and thereafter those areas shall be kept marked out and available for such use at all times. **Reason:** To ensure that a satisfactory provision of off-street car parking and turning facilities are maintained at all times in the interests of the free flow of traffic and highway safety in accordance with Policies DP6 & DP8 of the Warwick District Local Plan 1996-2011;
- (27) no heavy goods vehicles associated with the construction of the development hereby permitted shall be permitted to enter or leave the site between 0700 hours and 0930 hours or between 1500 hours and 1700 hours on Mondays to Fridays. **Reason:** In the interests of highway safety, in accordance with Policy DP6 of the Warwick District Local Plan; and
- (28) none of the dwellings hereby permitted shall be occupied until a Green Travel Plan to promote sustainable travel to and from the site has been submitted to and approved in writing by the local planning authority. The approved Green Travel Plan shall thereafter be implemented in full and shall not be withdrawn or amended in any way without the prior written approval of the local planning authority. **Reason:** In the interest of encouraging the use of alternative modes of transport with the aim of creating a more sustainable development in accordance with Policies SC12 & SC4 of the Warwick District Local Plan 1996-2011.

### **24. W15/0674 – Hatton Country World, Hatton, Warwick**

The Committee considered an application from Hatton Country World for the formation of an earth mound incorporating steps, platform, and 2no. tubes to provide an outdoor slide facility (49m wide x 76.5m long and 10.5m high, with a 1.5m deep subterranean section), after removal of the existing maze and spiral slide.

## PLANNING COMMITTEE MINUTES (Continued)

The application was presented to Committee because there had been more than five letters of support for the application, it was recommended for refusal and Councillor Rhead had called in the application.

The officer considered the following policies to be relevant:

National Planning Policy Framework  
SSP8 - Hatton Country World (Warwick District Local Plan 1996 - 2011)  
Future Use and Development of Hatton Country World - Supplementary  
Planning  
Guidance (2000)

The case officer felt that the proposed development would represent inappropriate development harmful by definition and by reason of harm to openness. In addition, they felt that no very special circumstances had been provided which could be considered to outweigh the harm to the green belt identified and, therefore, the application was contrary to the aforementioned policies and the NPPF and should therefore be refused.

An addendum provided at the meeting outlined five additional public responses which had been received. Four of these were in support of the application and one was in objection. In addition, Members were advised that no objection had been received following the consultation response from Archaeology.

The following people addressed the Committee:

Mr Laister, in support of the application and Councillor Rhead, Ward Councillor, supporting.

It was proposed and duly seconded that the application be granted on a temporary basis, for three years. However, following advice from officers, this proposal was withdrawn.

Members felt that the application was part of an established attraction in the green belt and the economic viability of this attraction should be supported. In addition, the NPPF encouraged economic and employment growth in rural areas and promoted the development and diversification of agricultural and land based businesses.

Members also raised concerns about the materials the earth mound would be created from, the potential impact of construction traffic and the colour that any potential slide should be. It was agreed that these concerns could be addressed by conditions.

Following consideration of the report, presentation, information contained in the addendum and the representations made at the meeting, the Committee

**Resolved** that application W15/0674 be **granted** subject to the following conditions:

- (1) submission of a satisfactory construction management scheme;

## **PLANNING COMMITTEE MINUTES (Continued)**

- (2) removal of the existing blue, spiral slide;
- (3) details of acceptable, non-contaminated materials for the construction of the earth mound are submitted; and
- (4) the new slides to be added to the construction be green in colour.

### **25. Current Appeals Report**

The Committee received a written update from Development Services which advised of the current list of planning and enforcement appeals either awaiting decision or where a decision had been received.

**Resolved** that the report is noted.

(The meeting ended at 19.35 pm)