

Planning Committee 12 September 2023 (continued on 13 September)

Note: This is a summary of decisions and is not the formal minutes of the Planning Committee. It is intended to give early notice of the decisions taken.

Part A - General

- 1. **Apologies and Substitutes** to be detailed in the minutes.
- 2. **Declarations of Interest -** to be detailed in the minutes.
- 3. **Site Visits** to be detailed in the minutes.
- 4. **Minutes** to be detailed in the minutes.

Part B - Planning Applications

6. W/22/1877 - Land at Warwickshire Police HQ, Woodcote Lane, Leek Wootton

Planning Committee resolved, contrary to the recommendation in the report, that an objection should be made to the granting of permission because the harm caused to the setting of the heritage asset by the proposed development within the grounds of the listed building, is not outweighed by the public benefits of the proposals.

The Committee also expressed concern about the net loss of biodiversity on the site and its strong preference that the net loss of biodiversity be addressed by onsite provision.

7 & 8. W/23/0222 & W/23/804 LB – 42 Leam Terrace, Royal Leamington Spa
The applications were both granted contrary to the recommendations in the
reports because the Committee considered that the sustainability benefits of the
applications outweighed the less than substantial harm to the significance of the
designated heritage asset.

The consideration of the conditions to be imposed on both applications was delegated to Officers in consultation with the Chair.

- 5. W/22/1077 Land to the east of Stratford Road, Longbridge, Warwick The application was deferred to enable a site visit to be arranged to aid Members' decision making and help them understand the context of the site when taking their final decision.
- 9. **W/23/0730 7 St Nicholas Terrace, Radford Semele**The application was granted in accordance with the recommendation in the report.
- 10. W/23/0945 11 Hornbeam Grove, Sydenham, Royal Leamington Spa

The application was granted in accordance with the recommendation in the report.