

WDC Building

Category

Key to colours used:

- Worse than typical performance.
- Better than typical not as good as best performance.
- Better than best performance.

	DETR good		DETR Typical		WDC Actual	
	Electricity	Fossil Fuel	Electricity	Fossil Fuel	Electricity	Fossil Fuel
Town Hall	A2	84	112	111	170	40 121

	DETR good		DETR Typical		WDC Actual	
	Electricity	Fossil Fuel	Electricity	Fossil Fuel	Electricity	Fossil Fuel
Riverside House Air conditioned civic offices	A1	97	128	178	226	115 73

	DETR good		DETR Typical		WDC Actual	
	Electricity	Fossil Fuel	Electricity	Fossil Fuel	Electricity	Fossil Fuel
Dry Sports Halls St. Nicholas Park	L1	64	158	105	343	
Castle Farm Sports Hall	L1					65 117

	DETR good		DETR Typical		WDC Actual	
	Electricity	Fossil Fuel	Electricity	Fossil Fuel	Electricity	Fossil Fuel
Leisure Centres with pools S.t Nicholas Park	L2	164	573	258	1321	178 817
Newbold Comyn	L2					213 975
Abbey Fields	L2					25 614

	DETR good		DETR Typical		WDC Actual	
	Electricity	Fossil Fuel	Electricity	Fossil Fuel	Electricity	Fossil Fuel
Sheltered Homes Chandos Court	H1	59	310	75	390	45 239
Acorn Court	H1					40 242
Tannery Court	H1					33 243
James Court	H1					11 252
Yeomanry Close	H1					12 198

	DETR good		DETR Typical		WDC Actual	
	Electricity	Fossil Fuel	Electricity	Fossil Fuel	Electricity	Fossil Fuel
Car Parks, Multi-storey Covent Garden		25		25		14
St. Peters	N/A Electricity accounts in dispute with supplier.					0
Linen St						6

